

Construction Chemicals for Dry Mortar Additives - Sidley Chemical Co.,Ltd

Product Family	Name	Type	Code	Spec	Recommended Applications	Benchmarking products	Features
1,Cellulose Ether	Methylhydroxyethylcellulose (MHEC)/ Hydroxypropyl MethylCellulose (HPMC)	EMP-E14N23	SD000860	40000-50000Cps	C0,C1,Tile adhesive	/	Economical product
		MP-H16N20	SD000968	60000-70000Cps	C1, Tile adhesive	WALOCEL MC 65	Long open time
		VME-H14N20	SD000857	40000-50000Cps	C1,C2 Tile adhesive	WALOCEL MW40000 PFV/ Bermocoll M 70	Well-balanced performance, Long open time
		MP-H12M31	SD000970	20000-30000Cps	Cement Based Machine Plaster, Tile adhesive	WALOCEL MKS 20000 PP30	Good adhesion, excellent Anti-sagging
		MP-H12N19	SD000057	20000-30000Cps	C2ES1/S2, Tile adhesive	/	Suitable for Type S1/S2 tile adhesive, Long open time
		ME-H10M04	SD000975	6000-9000Cps	Tile grout	Tylose MH 6000 YP4 Walocel MW 6000 PFV	Easy workability, high strength
		MP-E24H03	SD000058	40000-50000Cps	Hand Plaster / Machine-sprayed Plaster	/	Economical product for Plaster
		MP-H22H33	SD000956	20000-30000Cps		MECELLOSE FMC 74016	Excellent thickening properties, superior water-retention properties
		KMP-H44N05	SD000853	40000-50000Cps	Cement Based Wall Putty	WALOCEL MKX45000 PP10	Exceptional water retention and excellent workability
		EMP-51N07	SD000553	10000-20000Cps	Self-leveling mortar / Grouting material	/	Good fluidity, good suspension
2,Polymer	Redispersible Polymer Powder(RDP)	RDP-7053	SD000047	Tg : 3°c	Tile adhesive	Wacker VINNAPAS 4115 N	Well-balanced performance
		RDP-7028	SD000046	Tg : 3°c	Tile adhesive	/	Economical product
		RDP-7035H	SD000050	Tg : 3°c	Waterproof mortar, Joint filler	VINNAPAS 8034 H	Excellent water resistance
		RDP-86353	SD000044	Tg : -10°c	External Wall Insulation(EIFS/ETICS)	VINNAPAS 5044 N	Excellent flexibility
		RDP-61053	SD000896	Tg : 16°c	Tile adhesive	Elotex 60W	Exceptionally high bonding strength

		RDP-66153	SD000049	Tg : 12℃	Tile adhesive (C1,C2)	VINNAPAS 5010N	Excellent weather resistance
3-Accelerators	Calcium formate	BG98	SD000002	Granule	Tile adhesive	/	Increasing the early strength of mortar
	Nano-enhancer	HS-93	SD000043	Powder		/	Improve mortar water resistance
4-Retarders	Tartaric acid	TA-L100	SD000004	Powder	Self-leveling mortar /Plaster	/	Suitable for use with plaster and mortar
	Gypsum retarders	GR-60A	SD000007	Powder	Gypsum-based products	/	Customized retarding agents
		GR-70	SD000006	Powder		/	The dosage is more linear, and the product is more stable
		GR-95	SD000670	Powder		SICIT PlastRetard-PE L/ SIKA Retardan 200P	Significant retarding effect under alkaline conditions (pH>12)
		LGR-40	SD000008	Liquid	Plasterboard	PlastRetard-PE L	Liquid retarder, easier to use
5-Water repellent agents	Silicone Hydrophobic Powder	WS-90	SD000010	Powder	Waterproof mortar, Joint filler	Wacker Powder D/ Elotex Seal80	Excellent water repellent performance
	Silicone oil	LWS-940	SD000003	Liquid	Plasterboard/Gypsum Bricklaying	Wacker SILRES® BS 94	Suitable for moisture-resistant plasterboard
6-Air entraining agents	Sodium Lauryl Sulfate	AE-110P	SD000011	Powder	Wall putty/Plaster	/	Improving the Workability of Putty and Mortar
	Sodium α-olefin sulfonate	AE-180P	SD000013	Powder		Clariant-Hostapur OSB	Introduces uniform and fine foaming, Increase the Coating Rate
7-Foaming agents	Gypsum foamer	LWC-10	SD000014	Liquid	Plasterboard	Basf Vinapor GYp 3110	Good foaming effect, Big bubble
		LWC-50	SD000016	Liquid		Basf Vinapor GYp 2620	Good foaming effect, Medium bubble
8-Defoamers	Silicone/polyether Based	D-130	SD000017	Powder	Universal type	Muzing Agitan P833	Good defoaming effect, good foam suppression
		D-150	SD000019	Powder	Low-temperature resistant	Evonik Stiren Air Void 360 Muzing Agitan P841	Strong defoaming ability at low temperatures
9-Enhanced anti-cracking materials	Polypropylene fibres	PPCF	SD000020	3,6,12mm	Anti-cracking mortar	/	Improves the flexibility of the mortar
	Nature Cellulose	LW-500	SD000021	White Fiber	Tile Adhesive/Putty	JRS PWC500	Reduce mortar cracking

	/Powdered cellulose	LG-500	SD000022	Gray Fiber	Tile Adhesive/ Putty	JRS ZZC500	reduce mortar cracking
10-Modified starch	Starch ether	SE-302	SD000024	Potato starch	C1T, C2T, Tile adhesive	STARVIS SE 35 F	High anti-sagging properties, good thickening properties
		SE-501	SD000025	Tapioca starch	Wall Putty	/	Improves the smoothness of wall putty
		SE-801	SD000026	Potato starch	Plaster	STARVIS SE 45 F	Good thickening properties, improves the smoothness of plastering
	Pre-gelatinised starch	PCS-30	SD000027	Corn starch	Interior wall putty	/	Improves smoothness and the surface strength of the wall putty
11-Binder	Powdered polyvinyl alcohol	PVA-1788P	SD000030	Powder	Interior wall putty	/	Improves smoothness and the surface strength of the wall putty
12-Powder water reducers	Melamine superplasticizer	SMF-10P	SD000032	Powder	Tile adhesive/Wall putty	BASF Melment® F 10	No air-entraining effect, improves the surface compactness of mortar/putty
	Polycarboxylate Superplasticizer	PCE-802P	SD000033	Powder	Self-leveling mortar	SIKA 530P	High water reduction rate,insensitive to materials
		PCE-803P	SD000034	Powder	Self-leveling mortar/ Gypsum-based products	ViscoCrete® -540 P/BASF 2651F	Suitable for use in cement and gypsum systems
13-Thixotropic agents	Bentonite	Thixo-319	SD000039	Powder	Wall Putty/plaster	/	Improves workability and makes mortar smoother
	Aluminium magnesium silicate	Thixo-519	SD000040	Powder	Wall Putty/plaster	/	
14-Suspension rheology modifier	Rheology Agent	RL-30	SD000836	Powder	Self-leveling mortar	BASF Starvis 3040F	Superior suspension properties enhance the surface strength of self-leveling mortar.
15-Lithium salt coagulants	Lithium Carbonate	CI-99P	SD000041	Powder	Self-leveling mortar	/	Reduces the setting time of self-leveling mortar without affecting strength
16-Shrinkage-Reducing Admixture	Powder Shrinkage-Reducing Admixture	SR-100P	SD000042	Powder	Grouting material	Peramin SRA 10 SITREN PSP 105	Slows down the hydration reaction during the plasticizing stage of the mortar, thereby reducing shrinkage cracking

Sidley Chemical Co., Ltd.
No. 209 Yimeng Road, Linyi City,
Shandong Province, China
Phone: (86) 5397576660
Email: sales@sidleychem.com
Website: www.sidleychem.com

